


VÝTAHOVÉ DVEŘE TELESKOPICKÉ TŘÍKŘÍDLÉ SLIM

VDT-3K




VDT-3K 650 - 32
VDT-3K 700 - 29
VDT-3K 730 - 19
VDT-3K 750 - 13


SD	VD	ZS	ZU	N
650-1300	max. 2300	80-240	80-240	80-210


VDT-3K SD	POCET KONZOLÍ STANDARD	
	P-PRÁH	P-OPER.
650	3	2
700		
730		
750		
800		
850	4	
900		
1000		
1100		
1200	5	
1300		

VDT-3K SD	A	B	C	E	G	Gop	S
650	924	1012	899	305	228	240	130,5
700	975	1080	965	330	245	255	145,5
730	1007	1120	1005	345	255	257	
750	1042	1146	1032	355	262	273	
800	1108	1212	1098	380	278	289	
850	1175	1280	1165	405	295	305	
900	1242	1346	1232	286,7	312	324	
1000	1375	1480	1365	320	345	355	
1100	1508	1612	1498	353,3	378	389	
1200	1642	1746	1632	290	412	424	
1300	1775	1880	1765	315	445	455	




* PLATÍ PRO ZÁRUBNE 120 mm A VD=2000 mm






VÝTAHOVÉ DVEŘE TELESKOPICKÉ KABINOVÉ TŘÍKŘÍDLÉ SLIM


VDTK-3K



SD	VD
650-1300	max. 2300


VDTK-3K SD	A	C	D	G	Gop	S
650	924	899	236	228	240	130,5
700	975	965	253	245	255	145,5
730	1007	1005	263	255	257	
750	1042	1032	270	262	273	
800	1108	1098	286	278	289	
850	1175	1165	303	295	305	
900	1242	1232	320	312	324	
1000	1375	1365	353	345	355	
1100	1508	1498	386	378	389	
1200	1642	1632	420	412	424	
1300	1775	1765	453	445	455	





VÝTAHOVÉ DVEŘE TELESKOPICKÉ ŠACHETNÍ TŘÍKŘÍDLÉ SLIM

VDTŠ-3K





SD	VD	ZS	ZU	N
650-1300	max. 2300	80-240	80-240	80-210

VDTŠ-3K SD	POCET KONZOLÍ	
	STANDARD	
	P-PRÁH	P-OPER.
650	3	2
700		
730		
750		
800		
850	4	
900		
1000		
1100	5	
1200		
1300		


VDTŠ-3K SD	B	C	D	E	G	S
650	1012	899	236	305	228	130.5
700	1080	965	253	330	245	145.5
730	1120	1005	263	345	255	
750	1146	1032	270	355	262	
800	1212	1098	286	380	278	
850	1280	1165	303	405	295	
900	1346	1232	320	286.7	312	
1000	1480	1365	353	320	345	
1100	1612	1498	386	353.3	378	
1200	1746	1632	420	290	412	
1300	1880	1765	453	315	445	

* PLATÍ PRO ZÁRUBNE 120 mm





VÝTAHOVÉ DVEŘE TELESKOPICKÉ ŠACHETNÍ TŘÍKŘÍDLÉ SLIM
S POŽÁRNÍ ODOLNOSTÍ EW20

VDTŠ-3K EW20



* PLATÍ PRO ZÁRUBNE 120 mm A VD=2000 mm





* PLATÍ PRO VD=2000 mm

